



SUNMOON

Design JOSE' MANUEL FERRERO

Gazebo with powder-coated aluminum structure, upper roof and LED lighting on the head side available as standard. Curtains, hand-woven backrest in synthetic fiber.

cat. **2545** **Gazebo con schienale testiera intrecciato**
Gazebo with woven backrest-headboard

STRUTTURA
STRUCTURE

Bianco	White
Grigio Seta	Silk Grey
Denim	Denim
Ruggine	Rust
Bronzo Metal	Metal Bronze
Verde	Green
Grigio	Grey
Moka	Dark Brown
Nero	Black

SCHIENALE
BACKREST

VARROPE	Perla
VARROPE	Antracite

TETTUCCIO
COVERING

Bianco	White
Perla	Perla
Denim	Denim
Ruggine	Rust
Verde	Green
Grigio	Grey

PACKAGING:

TOTAL PIECES:	7
volume m ³	9,041
gross weight kg	255
net weight kg	182

istruzioni d'uso using instruction	IGSED I2547
telo copertura cover	9447C

COMPLETO DI SCHIENALE TESTIERA INTRECCIATO
COMPLETE WITH HAND WOVEN BACK

cuscino seduta + 2 cuscini schienali inclusi (vedi foto)
seat and 2 back cushion included (see picture)

PRODOTTO REGISTRATO
REGISTERED MODEL

STRUCTURAL COMPONENTS

BED BASE + MATTRESS: BASE CONSISTING OF TWO BED BASES OF 90X200 AND A SINGLE MATTRESS. WHITE PAINTED ALUMINIUM OUTER FRAME OF THE BED BASE AND CENTRAL MATTRESS SUPPORT SURFACE CONSISTING OF 14 FLAT EXTRUDED PVC SLATS. S-30 DENSITY RUBBER MATTRESS. QUICK DRY POLYURETHANE PADDING + RESIN POLYESTER FIBER COMBINED WITH POLYESTER MESH. REMOVABLE CUSHION COVER. POLYPROPYLENE. REMOVABLE CUSHION COVER.

CUSHION: ERGONOMIC BACKREST-CUSHION IN S-30 DENSITY RUBBER, QUICK DRY POLYURETHANE PADDING + RESIN POLYESTER FIBER COMBINED WITH POLYESTER MESH. REMOVABLE CUSHION COVER.. THE SPECIAL TRIANGULAR SECTION WITH DIFFERENT SIDES ALLOWS DIFFERENT SUPPORT POSITIONS.

FEET + WHEELS KIT: OPTIONAL 4-WHEEL KIT, 2 OF WHICH WITH STOPPERS AND 2 WITHOUT, ALLOWS MOVEMENT OF THE STRUCTURE IF PLACED ON A SMOOTH FLAT SURFACE. THE 4-WHEEL KIT CAN ONLY BE FITTED AT THE TIME OF THE FIRST ORDER AND CANNOT BE ADDED LATER.

WOVEN BACKREST: HAND-WOVEN SYNTHETIC FIBRE BACKRESTS CAN BE PLACED ON 2 OPPOSITE CORNERS TO FORM THE VIS A VIS OR ON 2 ADJACENT CORNERS TO FORM THE DAYBED. THE CHOICE MUST BE MADE AT THE TIME OF ORDERING AS IT INVOLVES CUSTOMISED DRILLING OF THE METAL BASE.

LIGHTS: LED LAMP INTEGRATED INTO THE GAZEBO STRUCTURE AND EQUIPPED WITH A LIGHT DIFFUSER, TWO BUTTONS, A LED INDICATOR AND A USB C PORT. THE LED LAMP IS POWERED BY A RECHARGEABLE BATTERY (SUPPLIED) CONNECTED VIA THE USB C CABLE. CONTROL VIA 4-BUTTON REMOTE CONTROL.

ROOF: SLIDING ROOF AVAILABLE IN 6 DIFFERENT FABRICS (IN COMBINATION WITH CURTAINS). THE SLIDING MECHANISM IS INSERTED INTO THE UPPER PROFILE OF THE STRUCTURE AND IS LOCKED AT THE END OF THE STROKE BY A MAGNET.

CURTAINS: SLIDING CURTAINS AVAILABLE IN 6 DIFFERENT FABRICS, CAN BE INSTALLED ON 3 OR 4 SIDES OF THE GAZEBO, FOR A TOTAL OF 6 OR 8 CURTAINS. SLIDING SYSTEM BUILT INTO THE EXTRUDED UPPER PROFILE OF THE STRUCTURE.

CHARACTERISTICS OF THE MATERIALS

CHARACTERISTICS OF THE MATERIALS AND FABRICS ARE DESCRIBED IN THE WEBSITE www.varaschin.it FOLDER "MATERIALS" AND YOU CAN DOWNLOAD FROM FOLDER "DOWNLOAD-MATERIALS".

INSTRUCTIONS FOR USING THE PRODUCT PROPERLY AND SAFELY

VARASCHIN IS NOT LIABLE FOR DAMAGE CAUSED BY IMPROPER USE. THE SAME APPLIES TO DAMAGE DERIVING FROM USE IN EXTREME WEATHER CONDITIONS OR LACK OF CARE. TIPS FOR EXTENDING LONGEVITY OF COMPONENTS: DURING THE WINTER STORE IN A DRY AND CLOSED PLACE TO AVOID CONDENSATION . DO NOT STEP ON WITH FEET. DO NOT SWING BACK AND FORTH ON THE LEGS. DO NOT SIT ON THE BACK OR ON ARMS. DO NOT USE AS A LADDER. BUTTONS AND THE ZIPPERS OF CLOTHING MAY CAUSE DAMAGE TO THE MATERIALS. IF NECESSARY, PLEASE CONTACT VARASCHIN SPA.

GENERAL INSTRUCTIONS FOR MAINTENANCE AND CLEANING

FOR DAILY CLEANING USE A DRY COTTON CLOTH. FOR MORE THOROUGH CLEANING USE ONLY A NEUTRAL PRODUCT DILUTED IN WARM WATER. NEVER USE ALCOHOL, AMMONIUM, THINNERS OR ABRASIVE PRODUCTS. IN MARINE ENVIRONMENTS ARTICLE SHOULD BE WEEKLY WHASED WITH FRESH WATER. FOR CLEANING AND TAKING CARE OF ALL MATERIALS AND FABRICS, SEE THE FOLDER "DOWNLOAD-MAINTENANCE" FROM OUR WEBSITE www.varaschin.it OR ASK FOR IT VIA E-MAIL AT customer@varaschin.it

GENERAL INFORMATION

N.B.: VARASCHIN SPA GUARANTEES THAT THE PRODUCT IS MADE OF QUALITY MATERIALS, USING THE BEST TECHNOLOGIES IN THE TRADE. THE COMPANY DECLINES ALL AND ANY LIABILITY FOR DAMAGE TO PERSONS AND/OR THINGS DUE TO IMPROPER USE OF THE PRODUCT. IF IN DOUBT PLEASE CONTACT THE MANUFACTURER.

DISPOSAL

PLEASE DO NOT JUST THROW OUT THE PIECE OF FURNITURE OR ANY PART OF IT. AT THE END OF ITS USE, PROVIDE FOR THE RECYCLING OR DISPOSAL OF THE COMPONENTS IN THE APPROPRIATE AREAS.

FIRE-FIGHTING MEASURES

ALTHOUGH THE PRODUCT IS NOT INFLAMMABLE, IT IS COMBUSTIBLE. THERE ARE NO RESTRICTIONS ON THE TYPES OF EXTINGUISHERS: POWDER, WATER, FOAM OR CO2. USE SUITABLE PROTECTION TO AVOID BREATHING IN FUMES. DURING DISPOSAL TAKE SPECIAL CARE TO PROTECT THE RESPIRATORY SYSTEM.

PRODUCT WARRANTY

REFER TO ARTICLE 3 "PRODUCT WARRANTY" PUBLISHED ON SALES CONDITIONS, DOCUMENTS OF SALE, WEBSITE www.varaschin.it

TECHNICAL INFO SHEET: This product information sheet complies with Italian Legislative Decree No. 206 of 6 September 2005, "Consumer Code".

The information given above refers to the latest data published in the price list. The company reserves the right to alter the models without notice.

COMPANY WITH SYSTEM MANAGEMENT QUALITY CERTIFIED **UNI EN ISO 9001: 2015**



SUNMOON

Design JOSE' MANUEL FERRERO

Gazebo with powder-coated aluminum structure, upper roof and LED lighting on the head side available as standard. Curtains, hand-woven backrest in synthetic fiber.

art. **2546** Gazebo con tende 4 lati
Gazebo with curtains on 4 sides

STRUTTURA
STRUCTURE

	Bianco White
	Grigio Seta Silk Grey
	Denim Denim
	Ruggine Rust
	Bronzo Metal Metal Bronze
	Verde Green
	Grigio Grey
	Moka Dark Brown
	Nero Black

TETTUCCIO + TENDE
COVERING + CURTAINS

	Bianco White
	Perla Perla
	Denim Denim
	Ruggine Rust
	Verde Green
	Grigio Grey

PACKAGING:

TOTAL PIECES: 7
volume m³: 8,804
gross weight kg: 234
net weight kg: 167

istruzioni d'uso using instruction	IGSED I2547
telo copertura cover	9447C

COMPLETO DI TENDE SU 4 LATI
COMPLETE WITH CURTAINS ON 4 SIDES

cuscino seduta + 2 cuscini schienali inclusi (vedi foto)
seat and 2 back cushion included (see picture)

LED RGB

completo di tende su 4 lati
complete with curtains on 4 sides

REGOLATO E REGISTRATO
REGISTERED MODEL

STRUCTURAL COMPONENTS

BED BASE + MATTRESS: BASE CONSISTING OF TWO BED BASES OF 90X200 AND A SINGLE MATTRESS. WHITE PAINTED ALUMINIUM OUTER FRAME OF THE BED BASE AND CENTRAL MATTRESS SUPPORT SURFACE CONSISTING OF 14 FLAT EXTRUDED PVC SLATS. S-30 DENSITY RUBBER MATTRESS. QUICK DRY POLYURETHANE PADDING + RESIN POLYESTER FIBER COMBINED WITH POLYESTER MESH. REMOVABLE CUSHION COVER. POLYPROPYLENE. REMOVABLE CUSHION COVER.

CUSHION: ERGONOMIC BACKREST-CUSHION IN S-30 DENSITY RUBBER, QUICK DRY POLYURETHANE PADDING + RESIN POLYESTER FIBER COMBINED WITH POLYESTER MESH. REMOVABLE CUSHION COVER.. THE SPECIAL TRIANGULAR SECTION WITH DIFFERENT SIDES ALLOWS DIFFERENT SUPPORT POSITIONS.

FEET + WHEELS KIT: OPTIONAL 4-WHEEL KIT, 2 OF WHICH WITH STOPPERS AND 2 WITHOUT, ALLOWS MOVEMENT OF THE STRUCTURE IF PLACED ON A SMOOTH FLAT SURFACE. THE 4-WHEEL KIT CAN ONLY BE FITTED AT THE TIME OF THE FIRST ORDER AND CANNOT BE ADDED LATER.

WOVEN BACKREST: HAND-WOVEN SYNTHETIC FIBRE BACKRESTS CAN BE PLACED ON 2 OPPOSITE CORNERS TO FORM THE VIS A VIS OR ON 2 ADJACENT CORNERS TO FORM THE DAYBED. THE CHOICE MUST BE MADE AT THE TIME OF ORDERING AS IT INVOLVES CUSTOMISED DRILLING OF THE METAL BASE.

LIGHTS: LED LAMP INTEGRATED INTO THE GAZEBO STRUCTURE AND EQUIPPED WITH A LIGHT DIFFUSER, TWO BUTTONS, A LED INDICATOR AND A USB C PORT. THE LED LAMP IS POWERED BY A RECHARGEABLE BATTERY (SUPPLIED) CONNECTED VIA THE USB C CABLE. CONTROL VIA 4-BUTTON REMOTE CONTROL.

ROOF: SLIDING ROOF AVAILABLE IN 6 DIFFERENT FABRICS (IN COMBINATION WITH CURTAINS). THE SLIDING MECHANISM IS INSERTED INTO THE UPPER PROFILE OF THE STRUCTURE AND IS LOCKED AT THE END OF THE STROKE BY A MAGNET.

CURTAINS: SLIDING CURTAINS AVAILABLE IN 6 DIFFERENT FABRICS, CAN BE INSTALLED ON 3 OR 4 SIDES OF THE GAZEBO, FOR A TOTAL OF 6 OR 8 CURTAINS. SLIDING SYSTEM BUILT INTO THE EXTRUDED UPPER PROFILE OF THE STRUCTURE.

CHARACTERISTICS OF THE MATERIALS

CHARACTERISTICS OF THE MATERIALS AND FABRICS ARE DESCRIBED IN THE WEBSITE www.varaschin.it FOLDER "MATERIALS" AND YOU CAN DOWNLOAD FROM FOLDER "DOWNLOAD-MATERIALS".

INSTRUCTIONS FOR USING THE PRODUCT PROPERLY AND SAFELY

VARASCHIN IS NOT LIABLE FOR DAMAGE CAUSED BY IMPROPER USE. THE SAME APPLIES TO DAMAGE DERIVING FROM USE IN EXTREME WEATHER CONDITIONS OR LACK OF CARE. TIPS FOR EXTENDING LONGEVITY OF COMPONENTS: DURING THE WINTER STORE IN A DRY AND CLOSED PLACE TO AVOID CONDENSATION . DO NOT STEP ON WITH FEET. DO NOT SWING BACK AND FORTH ON THE LEGS. DO NOT SIT ON THE BACK OR ON ARMS. DO NOT USE AS A LADDER. BUTTONS AND THE ZIPPERS OF CLOTHING MAY CAUSE DAMAGE TO THE MATERIALS. IF NECESSARY, PLEASE CONTACT VARASCHIN SPA.

GENERAL INSTRUCTIONS FOR MAINTENANCE AND CLEANING

FOR DAILY CLEANING USE A DRY COTTON CLOTH. FOR MORE THOROUGH CLEANING USE ONLY A NEUTRAL PRODUCT DILUTED IN WARM WATER. NEVER USE ALCOHOL, AMMONIUM, THINNERS OR ABRASIVE PRODUCTS. IN MARINE ENVIRONMENTS ARTICLE SHOULD BE WEEKLY WHASED WITH FRESH WATER. FOR CLEANING AND TAKING CARE OF ALL MATERIALS AND FABRICS, SEE THE FOLDER "DOWNLOAD-MAINTENANCE" FROM OUR WEBSITE www.varaschin.it OR ASK FOR IT VIA E-MAIL AT customer@varaschin.it

GENERAL INFORMATION

N.B.: VARASCHIN SPA GUARANTEES THAT THE PRODUCT IS MADE OF QUALITY MATERIALS, USING THE BEST TECHNOLOGIES IN THE TRADE. THE COMPANY DECLINES ALL AND ANY LIABILITY FOR DAMAGE TO PERSONS AND/OR THINGS DUE TO IMPROPER USE OF THE PRODUCT. IF IN DOUBT PLEASE CONTACT THE MANUFACTURER.

DISPOSAL

PLEASE DO NOT JUST THROW OUT THE PIECE OF FURNITURE OR ANY PART OF IT. AT THE END OF ITS USE, PROVIDE FOR THE RECYCLING OR DISPOSAL OF THE COMPONENTS IN THE APPROPRIATE AREAS.

FIRE-FIGHTING MEASURES

ALTHOUGH THE PRODUCT IS NOT INFLAMMABLE, IT IS COMBUSTIBLE. THERE ARE NO RESTRICTIONS ON THE TYPES OF EXTINGUISHERS: POWDER, WATER, FOAM OR CO2. USE SUITABLE PROTECTION TO AVOID BREATHING IN FUMES. DURING DISPOSAL TAKE SPECIAL CARE TO PROTECT THE RESPIRATORY SYSTEM.

PRODUCT WARRANTY

REFER TO ARTICLE 3 "PRODUCT WARRANTY" PUBLISHED ON SALES CONDITIONS, DOCUMENTS OF SALE, WEBSITE www.varaschin.it

TECHNICAL INFO SHEET: This product information sheet complies with Italian Legislative Decree No. 206 of 6 September 2005, "Consumer Code".

The information given above refers to the latest data published in the price list. The company reserves the right to alter the models without notice.

COMPANY WITH SYSTEM MANAGEMENT QUALITY CERTIFIED UNI EN ISO 9001: 2015



SUNMOON

Design JOSE' MANUEL FERRERO

Gazebo with powder-coated aluminum structure, upper roof and LED lighting on the head side available as standard. Curtains, hand-woven backrest in synthetic fiber.

art. **2547** Gazebo con schienale testiera intrecciato e tende 3 lati
Gazebo with woven backrest-headboard and curtains on 3 sides

← LED RGB
← cuscino seduta + 2 cuscini schienali inclusi (vedi foto)
seat and 2 back cushion included (see picture)

COMPLETO DI TENDE SU 3 LATI E SCHIENALE TESTIERA INTRECCIATO
COMPLETE WITH CURTAINS ON 3 SIDES AND HAND WOVEN BACK

STRUTTURA
STRUCTURE

	Bianco White
	Grigio Seta Silk Grey
	Denim Denim
	Ruggine Rust
	Bronzo Metal Metal Bronze
	Verde Green
	Grigio Grey
	Moka Dark Brown
	Nero Black

SCHIENALE
BACKREST

VAR#ROPE
Perla

VAR#ROPE
Antracite

TETTUCCIO + TENDE
COVERING + CURTAINS

	Bianco White
	Perla Perla
	Denim Denim
	Ruggine Rust
	Verde Green
	Grigio Grey

PACKAGING:

TOTAL PIECES: 8
volume m³ 9,142
gross weight kg 262
net weight kg 187

istruzioni d'uso using instruction	IGSED I2547
telo copertura cover	9447C

STRUCTURAL COMPONENTS

BED BASE + MATTRESS: BASE CONSISTING OF TWO BED BASES OF 90X200 AND A SINGLE MATTRESS. WHITE PAINTED ALUMINIUM OUTER FRAME OF THE BED BASE AND CENTRAL MATTRESS SUPPORT SURFACE CONSISTING OF 14 FLAT EXTRUDED PVC SLATS. S-30 DENSITY RUBBER MATTRESS. QUICK DRY POLYURETHANE PADDING + RESIN POLYESTER FIBER COMBINED WITH POLYESTER MESH. REMOVABLE CUSHION COVER. POLYPROPYLENE. REMOVABLE CUSHION COVER.

CUSHION: ERGONOMIC BACKREST-CUSHION IN S-30 DENSITY RUBBER, QUICK DRY POLYURETHANE PADDING + RESIN POLYESTER FIBER COMBINED WITH POLYESTER MESH. REMOVABLE CUSHION COVER.. THE SPECIAL TRIANGULAR SECTION WITH DIFFERENT SIDES ALLOWS DIFFERENT SUPPORT POSITIONS.

FEET + WHEELS KIT: OPTIONAL 4-WHEEL KIT, 2 OF WHICH WITH STOPPERS AND 2 WITHOUT, ALLOWS MOVEMENT OF THE STRUCTURE IF PLACED ON A SMOOTH FLAT SURFACE. THE 4-WHEEL KIT CAN ONLY BE FITTED AT THE TIME OF THE FIRST ORDER AND CANNOT BE ADDED LATER.

WOVEN BACKREST: HAND-WOVEN SYNTHETIC FIBRE BACKRESTS CAN BE PLACED ON 2 OPPOSITE CORNERS TO FORM THE VIS A VIS OR ON 2 ADJACENT CORNERS TO FORM THE DAYBED. THE CHOICE MUST BE MADE AT THE TIME OF ORDERING AS IT INVOLVES CUSTOMISED DRILLING OF THE METAL BASE.

LIGHTS: LED LAMP INTEGRATED INTO THE GAZEBO STRUCTURE AND EQUIPPED WITH A LIGHT DIFFUSER, TWO BUTTONS, A LED INDICATOR AND A USB C PORT. THE LED LAMP IS POWERED BY A RECHARGEABLE BATTERY (SUPPLIED) CONNECTED VIA THE USB C CABLE. CONTROL VIA 4-BUTTON REMOTE CONTROL.

ROOF: SLIDING ROOF AVAILABLE IN 6 DIFFERENT FABRICS (IN COMBINATION WITH CURTAINS). THE SLIDING MECHANISM IS INSERTED INTO THE UPPER PROFILE OF THE STRUCTURE AND IS LOCKED AT THE END OF THE STROKE BY A MAGNET.

CURTAINS: SLIDING CURTAINS AVAILABLE IN 6 DIFFERENT FABRICS, CAN BE INSTALLED ON 3 OR 4 SIDES OF THE GAZEBO, FOR A TOTAL OF 6 OR 8 CURTAINS. SLIDING SYSTEM BUILT INTO THE EXTRUDED UPPER PROFILE OF THE STRUCTURE.

CHARACTERISTICS OF THE MATERIALS

CHARACTERISTICS OF THE MATERIALS AND FABRICS ARE DESCRIBED IN THE WEBSITE www.varaschin.it FOLDER "MATERIALS" AND YOU CAN DOWNLOAD FROM FOLDER "DOWNLOAD-MATERIALS".

INSTRUCTIONS FOR USING THE PRODUCT PROPERLY AND SAFELY

VARASCHIN IS NOT LIABLE FOR DAMAGE CAUSED BY IMPROPER USE. THE SAME APPLIES TO DAMAGE DERIVING FROM USE IN EXTREME WEATHER CONDITIONS OR LACK OF CARE. TIPS FOR EXTENDING LONGEVITY OF COMPONENTS: DURING THE WINTER STORE IN A DRY AND CLOSED PLACE TO AVOID CONDENSATION . DO NOT STEP ON WITH FEET. DO NOT SWING BACK AND FORTH ON THE LEGS. DO NOT SIT ON THE BACK OR ON ARMS. DO NOT USE AS A LADDER. BUTTONS AND THE ZIPPERS OF CLOTHING MAY CAUSE DAMAGE TO THE MATERIALS. IF NECESSARY, PLEASE CONTACT VARASCHIN SPA.

GENERAL INSTRUCTIONS FOR MAINTENANCE AND CLEANING

FOR DAILY CLEANING USE A DRY COTTON CLOTH. FOR MORE THOROUGH CLEANING USE ONLY A NEUTRAL PRODUCT DILUTED IN WARM WATER. NEVER USE ALCOHOL, AMMONIUM, THINNERS OR ABRASIVE PRODUCTS. IN MARINE ENVIRONMENTS ARTICLE SHOULD BE WEEKLY WHASED WITH FRESH WATER. FOR CLEANING AND TAKING CARE OF ALL MATERIALS AND FABRICS, SEE THE FOLDER "DOWNLOAD-MAINTENANCE" FROM OUR WEBSITE www.varaschin.it OR ASK FOR IT VIA E-MAIL AT customer@varaschin.it

GENERAL INFORMATION

N.B.: VARASCHIN SPA GUARANTEES THAT THE PRODUCT IS MADE OF QUALITY MATERIALS, USING THE BEST TECHNOLOGIES IN THE TRADE. THE COMPANY DECLINES ALL AND ANY LIABILITY FOR DAMAGE TO PERSONS AND/OR THINGS DUE TO IMPROPER USE OF THE PRODUCT. IF IN DOUBT PLEASE CONTACT THE MANUFACTURER.

DISPOSAL

PLEASE DO NOT JUST THROW OUT THE PIECE OF FURNITURE OR ANY PART OF IT. AT THE END OF ITS USE, PROVIDE FOR THE RECYCLING OR DISPOSAL OF THE COMPONENTS IN THE APPROPRIATE AREAS.

FIRE-FIGHTING MEASURES

ALTHOUGH THE PRODUCT IS NOT INFLAMMABLE, IT IS COMBUSTIBLE. THERE ARE NO RESTRICTIONS ON THE TYPES OF EXTINGUISHERS: POWDER, WATER, FOAM OR CO2. USE SUITABLE PROTECTION TO AVOID BREATHING IN FUMES. DURING DISPOSAL TAKE SPECIAL CARE TO PROTECT THE RESPIRATORY SYSTEM.

PRODUCT WARRANTY

REFER TO ARTICLE 3 "PRODUCT WARRANTY" PUBLISHED ON SALES CONDITIONS, DOCUMENTS OF SALE, WEBSITE www.varaschin.it

TECHNICAL INFO SHEET: This product information sheet complies with Italian Legislative Decree No. 206 of 6 September 2005, "Consumer Code".

The information given above refers to the latest data published in the price list. The company reserves the right to alter the models without notice.

COMPANY WITH SYSTEM MANAGEMENT QUALITY CERTIFIED UNI EN ISO 9001: 2015



SUNMOON

Design JOSE' MANUEL FERRERO

Gazebo with powder-coated aluminum structure, upper roof and LED lighting on the head side available as standard. Curtains, hand-woven backrest in synthetic fiber.

<p>art. 2544 Gazebo Gazebo</p> <p>STRUTTURA STRUCTURE</p> <ul style="list-style-type: none"> Bianco White Grigio Seta Silk Grey Denim Denim Ruggine Rust Bronzo Metal Metal Bronze Verde Green Grigio Grey Moka Dark Brown Nero Black <p>TETTUCCIO COVERING</p> <ul style="list-style-type: none"> Bianco White Perla Perla Denim Denim Ruggine Rust Verde Green Grigio Grey <p>PACKAGING:</p> <p>TOTAL PIECES: 6 volume m³: 8,703 gross weight kg: 227 net weight kg: 162</p> <table border="1"> <tr> <td>istruzioni d'uso using instruction</td> <td>IGSED I2547</td> </tr> <tr> <td>telo copertura cover</td> <td>9447C</td> </tr> </table>	istruzioni d'uso using instruction	IGSED I2547	telo copertura cover	9447C
istruzioni d'uso using instruction	IGSED I2547			
telo copertura cover	9447C			

STRUCTURAL COMPONENTS

BED BASE + MATTRESS: BASE CONSISTING OF TWO BED BASES OF 90X200 AND A SINGLE MATTRESS. WHITE PAINTED ALUMINIUM OUTER FRAME OF THE BED BASE AND CENTRAL MATTRESS SUPPORT SURFACE CONSISTING OF 14 FLAT EXTRUDED PVC SLATS. S-30 DENSITY RUBBER MATTRESS. QUICK DRY POLYURETHANE PADDING + RESIN POLYESTER FIBER COMBINED WITH POLYESTER MESH. REMOVABLE CUSHION COVER. POLYPROPYLENE. REMOVABLE CUSHION COVER.

CUSHION: ERGONOMIC BACKREST-CUSHION IN S-30 DENSITY RUBBER, QUICK DRY POLYURETHANE PADDING + RESIN POLYESTER FIBER COMBINED WITH POLYESTER MESH. REMOVABLE CUSHION COVER.. THE SPECIAL TRIANGULAR SECTION WITH DIFFERENT SIDES ALLOWS DIFFERENT SUPPORT POSITIONS.

FEET + WHEELS KIT: OPTIONAL 4-WHEEL KIT, 2 OF WHICH WITH STOPPERS AND 2 WITHOUT, ALLOWS MOVEMENT OF THE STRUCTURE IF PLACED ON A SMOOTH FLAT SURFACE. THE 4-WHEEL KIT CAN ONLY BE FITTED AT THE TIME OF THE FIRST ORDER AND CANNOT BE ADDED LATER.

WOVEN BACKREST: HAND-WOVEN SYNTHETIC FIBRE BACKRESTS CAN BE PLACED ON 2 OPPOSITE CORNERS TO FORM THE VIS A VIS OR ON 2 ADJACENT CORNERS TO FORM THE DAYBED. THE CHOICE MUST BE MADE AT THE TIME OF ORDERING AS IT INVOLVES CUSTOMISED DRILLING OF THE METAL BASE.

LIGHTS: LED LAMP INTEGRATED INTO THE GAZEBO STRUCTURE AND EQUIPPED WITH A LIGHT DIFFUSER, TWO BUTTONS, A LED INDICATOR AND A USB C PORT. THE LED LAMP IS POWERED BY A RECHARGEABLE BATTERY (SUPPLIED) CONNECTED VIA THE USB C CABLE. CONTROL VIA 4-BUTTON REMOTE CONTROL.

ROOF: SLIDING ROOF AVAILABLE IN 6 DIFFERENT FABRICS (IN COMBINATION WITH CURTAINS). THE SLIDING MECHANISM IS INSERTED INTO THE UPPER PROFILE OF THE STRUCTURE AND IS LOCKED AT THE END OF THE STROKE BY A MAGNET.

CURTAINS: SLIDING CURTAINS AVAILABLE IN 6 DIFFERENT FABRICS, CAN BE INSTALLED ON 3 OR 4 SIDES OF THE GAZEBO, FOR A TOTAL OF 6 OR 8 CURTAINS. SLIDING SYSTEM BUILT INTO THE EXTRUDED UPPER PROFILE OF THE STRUCTURE.

CHARACTERISTICS OF THE MATERIALS

CHARACTERISTICS OF THE MATERIALS AND FABRICS ARE DESCRIBED IN THE WEBSITE www.varaschin.it FOLDER "MATERIALS" AND YOU CAN DOWNLOAD FROM FOLDER "DOWNLOAD-MATERIALS".

INSTRUCTIONS FOR USING THE PRODUCT PROPERLY AND SAFELY

VARASCHIN IS NOT LIABLE FOR DAMAGE CAUSED BY IMPROPER USE. THE SAME APPLIES TO DAMAGE DERIVING FROM USE IN EXTREME WEATHER CONDITIONS OR LACK OF CARE. TIPS FOR EXTENDING LONGEVITY OF COMPONENTS: DURING THE WINTER STORE IN A DRY AND CLOSED PLACE TO AVOID CONDENSATION . DO NOT STEP ON WITH FEET. DO NOT SWING BACK AND FORTH ON THE LEGS. DO NOT SIT ON THE BACK OR ON ARMS. DO NOT USE AS A LADDER. BUTTONS AND THE ZIPPERS OF CLOTHING MAY CAUSE DAMAGE TO THE MATERIALS. IF NECESSARY, PLEASE CONTACT VARASCHIN SPA.

GENERAL INSTRUCTIONS FOR MAINTENANCE AND CLEANING

FOR DAILY CLEANING USE A DRY COTTON CLOTH. FOR MORE THOROUGH CLEANING USE ONLY A NEUTRAL PRODUCT DILUTED IN WARM WATER. NEVER USE ALCOHOL, AMMONIUM, THINNERS OR ABRASIVE PRODUCTS. IN MARINE ENVIRONMENTS ARTICLE SHOULD BE WEEKLY WHASED WITH FRESH WATER. FOR CLEANING AND TAKING CARE OF ALL MATERIALS AND FABRICS, SEE THE FOLDER "DOWNLOAD-MAINTENANCE" FROM OUR WEBSITE www.varaschin.it OR ASK FOR IT VIA E-MAIL AT customer@varaschin.it

GENERAL INFORMATION

N.B.: VARASCHIN SPA GUARANTEES THAT THE PRODUCT IS MADE OF QUALITY MATERIALS, USING THE BEST TECHNOLOGIES IN THE TRADE. THE COMPANY DECLINES ALL AND ANY LIABILITY FOR DAMAGE TO PERSONS AND/OR THINGS DUE TO IMPROPER USE OF THE PRODUCT. IF IN DOUBT PLEASE CONTACT THE MANUFACTURER.

DISPOSAL

PLEASE DO NOT JUST THROW OUT THE PIECE OF FURNITURE OR ANY PART OF IT. AT THE END OF ITS USE, PROVIDE FOR THE RECYCLING OR DISPOSAL OF THE COMPONENTS IN THE APPROPRIATE AREAS.

FIRE-FIGHTING MEASURES

ALTHOUGH THE PRODUCT IS NOT INFLAMMABLE, IT IS COMBUSTIBLE. THERE ARE NO RESTRICTIONS ON THE TYPES OF EXTINGUISHERS: POWDER, WATER, FOAM OR CO2. USE SUITABLE PROTECTION TO AVOID BREATHING IN FUMES. DURING DISPOSAL TAKE SPECIAL CARE TO PROTECT THE RESPIRATORY SYSTEM.

PRODUCT WARRANTY

REFER TO ARTICLE 3 "PRODUCT WARRANTY" PUBLISHED ON SALES CONDITIONS, DOCUMENTS OF SALE, WEBSITE www.varaschin.it

TECHNICAL INFO SHEET: This product information sheet complies with Italian Legislative Decree No. 206 of 6 September 2005, "Consumer Code".

The information given above refers to the latest data published in the price list. The company reserves the right to alter the models without notice.

COMPANY WITH SYSTEM MANAGEMENT QUALITY CERTIFIED UNI EN ISO 9001: 2015