




Logico
Michele De Lucchi
Gerhard Reichert



MICHELE DE LUCCHI

Born in Italy in 1961, Michele De Lucchi designed the Tolomeo in 1987. "The lamp, now available in sizes from mini to mega, is arguably Artemide's most iconic fixture."

Having a background in architecture and industrial design, Michele De Lucchi also favors a craftsman-like approach and since 1990 through the line "Produzione Privata," he has created a series of artisan-produced items such as small sculptures carved with a power saw.



GERHARD REICHERT

German designer, Gerhard Reichert believes that emotion and function increase a product's intrinsic value. A mechanical engineer by training, he seeks to reconcile the utilitarian aspect of an object in relationship to the experience of use and its impact on both the personal and external environment.



PRIVATE RESIDENCE, SHEFFIELD (MA)

Project: William Caligari
Photo: Kevin Sprague, Studio Two

WHIMSICAL

Logico's whimsical design inspires fantasy. A modern interpretation of a chandelier, its pattern undulates into fluid folds of soft and bright light.





**THE FRANKFURT HOTEL,
FRANKFURT, GERMANY**

Project: Morgen Interiors
Photo: Markus Bachmann

SAVOIR-FAIRE

Logico's shade is crafted of handblown and frosted glass, coated with a satin finish to enable a soft diffusion.

**SCHÖSSL,
OBEROTTERBACH, GERMANY**

Project: Müllers Büro, Vollmersweiler
Photo: Werner Huthmacher






MODULAR

Logico has the ability to be customized in various patterns as imagined by architects, designers or customers to create unique interiors to enhance any residential, commercial or hospitality space.

**SCHÖSSL,
OBEROTTERBACH, GERMANY**

Project: Müllers Büro, Vollmersweiler
Photo: Werner Huthmacher




○ Milky white

Logico is now available in three color options: milky white, smoky grey, or tobacco brown.

These soft colorways work perfectly in conjunction with the glass diffuser and the organic shape of the fixture to deliver a soft, ambient light. The color options give the user a wide range of possibilities to help match the décor of any interior.




● Tobacco^{New}




● Grey smoke^{New}

Logico Single Table



Technical data




LOGICO MINI

LOGICO

EMISSION	Diffused	Diffused
LIGHT SOURCE	LED, CFL, INC Max 3x40W E12/G16.5	LED, CFL, INC Max 3x60W E12/G16.5
DIMMING FEATURE	Dimmable (on frame)	Dimmable (on frame)
DIFFUSER	<input type="radio"/> Milky white <input checked="" type="radio"/> Tobacco ^{New} <input checked="" type="radio"/> Grey smoke ^{New}	<input type="radio"/> Milky white <input checked="" type="radio"/> Tobacco ^{New} <input checked="" type="radio"/> Grey smoke ^{New}
STEM AND BASE	<input type="radio"/> Pale Grey <input checked="" type="radio"/> Chrome ^{New}	<input type="radio"/> Pale Grey <input checked="" type="radio"/> Chrome ^{New}
CERTIFICATIONS	c.UL.us listed, IP20	c.UL.us listed, IP20


Logico Single Ceiling

Technical data




5"
13 cm

4 1/4"
11 cm




7 1/2"
19 cm

7"
18 cm



9"
23 cm

11"
28 cm



12 3/4"
32.5 cm

15 3/4"
40 cm

LOGICO NANO

LOGICO MICRO

LOGICO MINI

LOGICO

EMISSION	Diffused	Diffused	Diffused	Diffused
LIGHT SOURCE	LED, INC Max 60W E12/G16.5	LED, INC Max 60W E12/G16.5	LED, INC Max 100W E26/A19	LED, INC Max 150W E26/A19
DIMMING FEATURE	Dimmable 2-Wire	Dimmable 2-Wire	Dimmable 2-Wire	Dimmable 2-Wire
DIFFUSER	○ Milky white	○ Milky white	○ Milky white ● Tobacco ^{New} ● Grey smoke ^{New}	○ Milky white ● Tobacco ^{New} ● Grey smoke ^{New}
CERTIFICATIONS	c.UL.us listed, IP20	c.UL.us listed, IP20	c.UL.us listed, IP20	c.UL.us listed, IP20

Logico Triple Linear Ceiling


Technical data




8 1/4"
21 cm




10 3/8"
26 cm




13 3/4"
35 cm



7"
18 cm



11"
28 cm



15 3/4"
40 cm

19 1/4"
49 cm

26"
66 cm

39 1/4"
100 cm

LOGICO MICRO


LOGICO MINI

LOGICO


EMISSION	Diffused	Diffused	Diffused
LIGHT SOURCE	LED, INC Max 3x60W E12/G16.5	LED, INC Max 3x100W E26/A19	LED, INC Max 3x150W E26/A19
DIMMING FEATURE	Dimmable 2-Wire	Dimmable 2-Wire	Dimmable 2-Wire
DIFFUSER	○ Milky white	○ Milky white	○ Milky white ● Tobacco ^{New} ● Grey smoke ^{New}
CERTIFICATIONS	c.UL.us listed, IP20	c.UL.us listed, IP20	c.UL.us listed, IP20

Logico Triple Nested Ceiling


Technical data




8 1/4"
21 cm




10 3/8"
26 cm




13 3/4"
35 cm



13"
33 cm



17 3/4"
45 cm



26"
66 cm

LOGICO MICRO


LOGICO MINI

LOGICO

EMISSION	Diffused	Diffused	Diffused
LIGHT SOURCE	LED, INC Max 3x60W E12/G16.5	LED, INC Max 3x100W E26/A19	LED, INC Max 3x150W E26/A19
DIMMING FEATURE	Dimmable 2-Wire	Dimmable 2-Wire	Dimmable 2-Wire
DIFFUSER	○ Milky white	○ Milky white	○ Milky white ● Tobacco ^{New} ● Grey smoke ^{New}
CERTIFICATIONS	c.UL.us listed, IP20	c.UL.us listed, IP20	c.UL.us listed, IP20

Logico Single Wall

Technical data




7 ⁷/₁₆"
18.9 cm



4"
10.3 cm

7 ⁷/₁₆"
18.9 cm




8 ³/₄"
22 cm




4"
10.3 cm

9 ¹⁵/₁₆"
25.3 cm



12 ¹/₄"
31 cm



7 ¹/₄"
18.5 cm

15"
38 cm

LOGICO MICRO




LOGICO MINI

LOGICO

EMISSION	Diffused	Diffused	Diffused
LIGHT SOURCE	LED, INC Max 60W E12/G16.5	LED, INC Max 75W E26/A19	LED, INC Max 75W E26/A19
DIMMING FEATURE	Dimmable 2-Wire	Dimmable 2-Wire	Dimmable 2-Wire
DIFFUSER	○ Milky white	○ Milky white	○ Milky white
CERTIFICATIONS	c.UL.us listed, IP20, ADA compliant	c.UL.us listed, IP20, ADA compliant	c.UL.us listed, IP20, ADA compliant

Logico Single Suspension

Technical data



LOGICO MICRO




LOGICO MINI

LOGICO

	LOGICO MICRO	LOGICO MINI	LOGICO
EMISSION	Diffused	Diffused	Diffused
LIGHT SOURCE	LED, CFL, INC Max 60W E12/G16.5	LED, INC Max 100W E26/A19	LED, INC Max 150W E26/A19
DIMMING FEATURE	Dimmable 2-Wire	Dimmable 2-Wire	Dimmable 2-Wire
DIFFUSER	○ Milky white	○ Milky white ● Tobacco ^{New} ● Grey smoke ^{New}	○ Milky white ● Tobacco ^{New} ● Grey smoke ^{New}
CERTIFICATIONS	c.UL.us listed, IP20	c.UL.us listed, IP20	c.UL.us listed, IP20
EXTENDED VERSION	X	X	X

Logico Triple Linear Suspension

Technical data



LOGICO MICRO




LOGICO MINI

LOGICO

	LOGICO MICRO	LOGICO MINI	LOGICO
EMISSION	Diffused	Diffused	Diffused
LIGHT SOURCE	LED, CFL, INC Max 3x60W E12/G16.5	LED, INC Max 3x100W E26/A19	LED, INC Max 3x100W E26/A19
DIMMING FEATURE	Dimmable 2-Wire	Dimmable 2-Wire	Dimmable 2-Wire
DIFFUSER	○ Milky white	○ Milky white ● Tobacco ^{New} ● Grey smoke ^{New}	○ Milky white ● Tobacco ^{New} ● Grey smoke ^{New}
CERTIFICATIONS	c.UL.us listed, IP20	c.UL.us listed, IP20	c.UL.us listed, IP20
EXTENDED VERSION	X	X	X

Logico Triple Nested Suspension

Technical data



LOGICO MICRO

LOGICO MINI

LOGICO


	LOGICO MICRO	LOGICO MINI	LOGICO
EMISSION	Diffused	Diffused	Diffused
LIGHT SOURCE	LED, CFL, INC Max 3x60W E12/G16.5	LED, INC Max 3x100W E26/A19	LED, INC Max 3x100W E26/A19
DIMMING FEATURE	Dimmable 2-Wire	Dimmable 2-Wire	Dimmable 2-Wire
DIFFUSER	○ Milky white	○ Milky white ● Tobacco ^{New} ● Grey smoke ^{New}	○ Milky white ● Tobacco ^{New} ● Grey smoke ^{New}
CERTIFICATIONS	c.UL.us listed, IP20	c.UL.us listed, IP20	c.UL.us listed, IP20
EXTENDED VERSION	X	X	X

Logico Custom Ceiling/Suspension



Villa Borsig, Berlin (Germany)
Lighting Plan: Licht Vision
Photo: Linus Lintner

Technical data



NOTE

Designed according to customer needs, requirements and imagination



**THE FRANKFURT HOTEL,
FRANKFURT, GERMANY**

Project: Morgen Interiors
Photo: Markus Bachmann



**LE FAVAGLIE HOTEL,
CORNAREDO, MILAN, ITALY**

Project: Tino Brambilla, Ezio Epis, Enrico Corti
Photo: Miro Zagnoli



**MANDARIN ORIENTAL TOKYO HOTEL,
TOKYO, JAPAN**

Photo: Jil Studio

UNITED STATES HEADQUARTERS

Artemide Inc.

250 Karin Lane

Hicksville, NY 11801

T. 631-694-9292

Toll Free 1-877-Art-9111

email: infousa@artemide.net

CANADIAN HEAD OFFICE

Artemide Canada Ltd.

11105, rue Renaude Lapointe

Montréal, QC H1J 2T4

T. 514-323-6537

Toll Free 1-888-777-2783

email: infocanada@artemide.net

Artemide[®]

For retail sales contact information, please visit

www.artemide.net/store-locator

For contract sales contact information, please visit

www.artemide.net/sales-representative