




**Logico**  
Michele De Lucchi  
Gerhard Reichert



## MICHELE DE LUCCHI

Born in Italy in 1961, Michele De Lucchi designed the Tolomeo in 1987. "The lamp, now available in sizes from mini to mega, is arguably Artemide's most iconic fixture."

Having a background in architecture and industrial design, Michele De Lucchi also favors a craftsman-like approach and since 1990 through the line "Produzione Privata," he has created a series of artisan-produced items such as small sculptures carved with a power saw.



## GERHARD REICHERT

German designer, Gerhard Reichert believes that emotion and function increase a product's intrinsic value. A mechanical engineer by training, he seeks to reconcile the utilitarian aspect of an object in relationship to the experience of use and its impact on both the personal and external environment.





**PRIVATE RESIDENCE, SHEFFIELD (MA)**


Project: William Caligari  
Photo: Kevin Sprague, Studio Two

# WHIMSICAL

Logico's whimsical design inspires fantasy. A modern interpretation of a chandelier, its pattern undulates into fluid folds of soft and bright light.







**THE FRANKFURT HOTEL,  
FRANKFURT, GERMANY**

Project: Morgen Interiors  
Photo: Markus Bachmann

# SAVOIR-FAIRE

Logico's shade is crafted of handblown and frosted glass, coated with a satin finish to enable a soft diffusion.

**SCHÖSSL,  
OBEROTTERBACH, GERMANY**

Project: Müllers Büro, Vollmersweiler  
Photo: Werner Huthmacher








## MODULAR

Logico has the ability to be customized in various patterns as imagined by architects, designers or customers to create unique interiors to enhance any residential, commercial or hospitality space.

**SCHÖSSL,  
OBEROTTERBACH, GERMANY**


Project: Müllers Büro, Vollmersweiler  
Photo: Werner Huthmacher




○ Milky white

Logico is now available in three color options: milky white, smoky grey, or tobacco brown.

These soft colorways work perfectly in conjunction with the glass diffuser and the organic shape of the fixture to deliver a soft, ambient light. The color options give the user a wide range of possibilities to help match the décor of any interior.




● Tobacco<sup>New</sup>




● Grey smoke<sup>New</sup>



# Logico Single Table



# Technical data







## LOGICO MINI

## LOGICO

<b>EMISSION</b>	Diffused	Diffused
<b>LIGHT SOURCE</b>	LED, CFL, INC Max 3x40W E12/G16.5	LED, CFL, INC Max 3x60W E12/G16.5
<b>DIMMING FEATURE</b>	Dimmable (on frame)	Dimmable (on frame)
<b>DIFFUSER</b>	<input type="radio"/> Milky white <input checked="" type="radio"/> Tobacco <sup>New</sup> <input checked="" type="radio"/> Grey smoke <sup>New</sup>	<input type="radio"/> Milky white <input checked="" type="radio"/> Tobacco <sup>New</sup> <input checked="" type="radio"/> Grey smoke <sup>New</sup>
<b>STEM AND BASE</b>	<input type="radio"/> Pale Grey <input checked="" type="radio"/> Chrome <sup>New</sup>	<input type="radio"/> Pale Grey <input checked="" type="radio"/> Chrome <sup>New</sup>
<b>CERTIFICATIONS</b>	c.UL.us listed, IP20	c.UL.us listed, IP20

# Logico Single Ceiling

# Technical data



## LOGICO NANO

## LOGICO MICRO

## LOGICO MINI

## LOGICO

	LOGICO NANO	LOGICO MICRO	LOGICO MINI	LOGICO
<b>EMISSION</b>	Diffused	Diffused	Diffused	Diffused
<b>LIGHT SOURCE</b>	LED, INC Max 60W E12/G16.5	LED, INC Max 60W E12/G16.5	LED, INC Max 100W E26/A19	LED, INC Max 150W E26/A19
<b>DIMMING FEATURE</b>	Dimmable 2-Wire	Dimmable 2-Wire	Dimmable 2-Wire	Dimmable 2-Wire
<b>DIFFUSER</b>	○ Milky white	○ Milky white	○ Milky white ● Tobacco <sup>New</sup> ● Grey smoke <sup>New</sup>	○ Milky white ● Tobacco <sup>New</sup> ● Grey smoke <sup>New</sup>
<b>CERTIFICATIONS</b>	c.UL.us listed, IP20	c.UL.us listed, IP20	c.UL.us listed, IP20	c.UL.us listed, IP20



# Logico Triple Linear Ceiling


# Technical data




8 1/4"  
21 cm




10 3/8"  
26 cm




13 3/4"  
35 cm



7"  
18 cm



11"  
28 cm



15 3/4"  
40 cm

19 1/4"  
49 cm

26"  
66 cm

39 1/4"  
100 cm

## LOGICO MICRO


## LOGICO MINI

## LOGICO


<b>EMISSION</b>	Diffused	Diffused	Diffused
<b>LIGHT SOURCE</b>	LED, INC Max 3x60W E12/G16.5	LED, INC Max 3x100W E26/A19	LED, INC Max 3x150W E26/A19
<b>DIMMING FEATURE</b>	Dimmable 2-Wire	Dimmable 2-Wire	Dimmable 2-Wire
<b>DIFFUSER</b>	○ Milky white	○ Milky white	○ Milky white ● Tobacco <sup>New</sup> ● Grey smoke <sup>New</sup>
<b>CERTIFICATIONS</b>	c.UL.us listed, IP20	c.UL.us listed, IP20	c.UL.us listed, IP20

# Logico Triple Nested Ceiling


# Technical data




8 1/4"  
21 cm




10 3/8"  
26 cm




13 3/4"  
35 cm



13"  
33 cm



17 3/4"  
45 cm



26"  
66 cm

## LOGICO MICRO

## LOGICO MINI


## LOGICO

<b>EMISSION</b>	Diffused	Diffused	Diffused
<b>LIGHT SOURCE</b>	LED, INC Max 3x60W E12/G16.5	LED, INC Max 3x100W E26/A19	LED, INC Max 3x150W E26/A19
<b>DIMMING FEATURE</b>	Dimmable 2-Wire	Dimmable 2-Wire	Dimmable 2-Wire
<b>DIFFUSER</b>	○ Milky white	○ Milky white	○ Milky white ● Tobacco <sup>New</sup> ● Grey smoke <sup>New</sup>
<b>CERTIFICATIONS</b>	c.UL.us listed, IP20	c.UL.us listed, IP20	c.UL.us listed, IP20



# Logico Single Wall

# Technical data




7 <sup>7</sup>/<sub>16</sub>"  
18.9 cm



4"  
10.3 cm

7 <sup>7</sup>/<sub>16</sub>"  
18.9 cm




8 <sup>3</sup>/<sub>4</sub>"  
22 cm




4"  
10.3 cm

9 <sup>15</sup>/<sub>16</sub>"  
25.3 cm



12 <sup>1</sup>/<sub>4</sub>"  
31 cm



7 <sup>1</sup>/<sub>4</sub>"  
18.5 cm

15"  
38 cm

## LOGICO MICRO




## LOGICO MINI

## LOGICO

	LOGICO MICRO	LOGICO MINI	LOGICO
<b>EMISSION</b>	Diffused	Diffused	Diffused
<b>LIGHT SOURCE</b>	LED, INC Max 60W E12/G16.5	LED, INC Max 75W E26/A19	LED, INC Max 75W E26/A19
<b>DIMMING FEATURE</b>	Dimmable 2-Wire	Dimmable 2-Wire	Dimmable 2-Wire
<b>DIFFUSER</b>	○ Milky white	○ Milky white	○ Milky white
<b>CERTIFICATIONS</b>	c.UL.us listed, IP20, ADA compliant	c.UL.us listed, IP20, ADA compliant	c.UL.us listed, IP20, ADA compliant

# Logico Single Suspension

# Technical data



## LOGICO MICRO

## LOGICO MINI




## LOGICO

	LOGICO MICRO	LOGICO MINI	LOGICO
<b>EMISSION</b>	Diffused	Diffused	Diffused
<b>LIGHT SOURCE</b>	LED, CFL, INC Max 60W E12/G16.5	LED, INC Max 100W E26/A19	LED, INC Max 150W E26/A19
<b>DIMMING FEATURE</b>	Dimmable 2-Wire	Dimmable 2-Wire	Dimmable 2-Wire
<b>DIFFUSER</b>	○ Milky white	○ Milky white ● Tobacco <sup>New</sup> ● Grey smoke <sup>New</sup>	○ Milky white ● Tobacco <sup>New</sup> ● Grey smoke <sup>New</sup>
<b>CERTIFICATIONS</b>	c.UL.us listed, IP20	c.UL.us listed, IP20	c.UL.us listed, IP20
<b>EXTENDED VERSION</b>	X	X	X



# Logico Triple Linear Suspension

# Technical data



## LOGICO MICRO




## LOGICO MINI

## LOGICO

	LOGICO MICRO	LOGICO MINI	LOGICO
EMISSION	Diffused	Diffused	Diffused
LIGHT SOURCE	LED, CFL, INC Max 3x60W E12/G16.5	LED, INC Max 3x100W E26/A19	LED, INC Max 3x100W E26/A19
DIMMING FEATURE	Dimmable 2-Wire	Dimmable 2-Wire	Dimmable 2-Wire
DIFFUSER	○ Milky white	○ Milky white ● Tobacco <sup>New</sup> ● Grey smoke <sup>New</sup>	○ Milky white ● Tobacco <sup>New</sup> ● Grey smoke <sup>New</sup>
CERTIFICATIONS	c.UL.us listed, IP20	c.UL.us listed, IP20	c.UL.us listed, IP20
EXTENDED VERSION	X	X	X

# Logico Triple Nested Suspension

# Technical data



## LOGICO MICRO

## LOGICO MINI

## LOGICO

	LOGICO MICRO	LOGICO MINI	LOGICO
<b>EMISSION</b>	Diffused	Diffused	Diffused
<b>LIGHT SOURCE</b>	LED, CFL, INC Max 3x60W E12/G16.5	LED, INC Max 3x100W E26/A19	LED, INC Max 3x100W E26/A19
<b>DIMMING FEATURE</b>	Dimmable 2-Wire	Dimmable 2-Wire	Dimmable 2-Wire
<b>DIFFUSER</b>	○ Milky white	○ Milky white ● Tobacco <sup>New</sup> ● Grey smoke <sup>New</sup>	○ Milky white ● Tobacco <sup>New</sup> ● Grey smoke <sup>New</sup>
<b>CERTIFICATIONS</b>	c.UL.us listed, IP20	c.UL.us listed, IP20	c.UL.us listed, IP20
<b>EXTENDED VERSION</b>	X	X	X




# Logico Custom Ceiling/Suspension



Villa Borsig, Berlin (Germany)  
Lighting Plan: Licht Vision  
Photo: Linus Lintner

# Technical data



**NOTE**

Designed according to customer needs, requirements and imagination



**THE FRANKFURT HOTEL,  
FRANKFURT, GERMANY**

Project: Morgen Interiors  
Photo: Markus Bachmann





**LE FAVAGLIE HOTEL,  
CORNAREDO, MILAN, ITALY**

Project: Tino Brambilla, Ezio Epis, Enrico Corti  
Photo: Miro Zagnoli



**MANDARIN ORIENTAL TOKYO HOTEL,  
TOKYO, JAPAN**

Photo: Jil Studio



### UNITED STATES HEADQUARTERS

Artemide Inc.

250 Karin Lane

Hicksville, NY 11801

T. 631-694-9292

**Toll Free** 1-877-Art-9111

**email:** infousa@artemide.net

### CANADIAN HEAD OFFICE

Artemide Canada Ltd.

11105, rue Renaude Lapointe

Montréal, QC H1J 2T4

T. 514-323-6537

**Toll Free** 1-888-777-2783

**email:** infocanada@artemide.net

**Artemide**<sup>®</sup>

For retail sales contact information, please visit

[www.artemide.net/store-locator](http://www.artemide.net/store-locator)

For contract sales contact information, please visit

[www.artemide.net/sales-representative](http://www.artemide.net/sales-representative)